

Sexually Transmitted Diseases Reported cases among residents of Idaho April - June 2007

| District | HIV | AIDS | Chlamydia | Gonorrhea | Syphilis* | TOTAL |
|----------|-----|------|-----------|-----------|-----------|-------|
| 1 | 0 | 0 | 98 | 7 | 0 | 105 |
| 2 | 0 | 0 | 60 | 4 | 0 | 64 |
| 3 | 0 | 0 | 195 | 14 | 0 | 209 |
| 4 | 1 | 0 | 371 | 24 | 0 | 396 |
| 5 | 0 | 0 | 87 | 15 | 0 | 102 |
| 6 | 0 | 1 | 82 | 0 | 0 | 83 |
| 7 | 0 | 1 | 36 | 2 | 0 | 41 |
| Total | 1 | 2 | 931 | 66 | 0 | 1,000 |

Sexually Transmitted Diseases Reported cases among residents of Idaho April - June 2006

| District | HIV | AIDS | Chlamydia | Gonorrhea | Syphilis | TOTAL |
|----------|-----|------|-----------|-----------|----------|-------|
| 1 | 1 | 0 | 113 | 5 | 0 | 119 |
| 2 | 2 | 1 | 41 | 3 | 1 | 48 |
| 3 | 2 | 1 | 180 | 6 | 3 | 192 |
| 4 | 2 | 1 | 343 | 31 | 0 | 377 |
| 5 | 0 | 0 | 76 | 2 | 0 | 78 |
| 6 | 1 | 1 | 90 | 2 | 0 | 94 |
| 7 | 1 | 0 | 51 | 1 | 0 | 53 |
| Total | 9 | 4 | 894 | 50 | 4 | 961 |

^{*}syphilis - all stages



| Idaho District Health Departments | | | | | |
|-----------------------------------|---------------|----------|--|--|--|
| District 1 | Coeur d'Alene | 667-3481 | | | |
| District 2 | Lewiston | 799-3100 | | | |
| District 3 | Caldwell | 455-5300 | | | |
| District 4 | Boise | 375-5211 | | | |
| District 5 | Twin Falls | 734-5900 | | | |
| District 6 | Pocatello | 233-9080 | | | |
| District 7 | Idaho Falls | 522-0310 | | | |

| Reported <u>Idaho</u> HIV and AIDS cases presumed living* by diagnostic status as of June 30, 2007 | | | | | | | |
|----------------------------------------------------------------------------------------------------|----------------|-----------------------------------|--------------------------------|---------------|------------------------------------|---------------------------------|---------------------------------------------|
| District | HIV Cases** | HIV Cases Reported Deceased | Presumed Living with HIV | AIDS Cases | AIDS Cases Reported Deceased | Presumed Living with AIDS | Reported HIV Cases Presumed Living*** |
| 1 | 56 | 5 | 51 | 124 | 61 | 63 | 114 |
| 2 | 31 | 5 | 26 | 44 | 17 | 27 | 53 |
| 3 | 66 | 9 | 57 | 113 | 38 | 75 | 132 |
| 4 | 249 | 25 | 224 | 348 | 167 | 181 | 405 |
| 5 | 51 | 5 | 46 | 83 | 39 | 44 | 90 |
| 6 | 45 | 8 | 37 | 83 | 44 | 39 | 76 |
| 7 | 33 | 2 | 31 | 67 | 35 | 32 | 63 |

All reported HIV and AIDS cases in Idaho, regardless of residence at first diagnosis or death.

59

TOTAL

531

862

401

461

933

472

^{*}Reported HIV cases presumed living - Reported cases of HIV not reported with AIDS EVER REPORTED in Idaho and have not been reported as deceased. Previous prevalence tables only included cases first reported in Idaho. Reported AIDS cases presumed living - Reported cases of AIDS EVER REPORTED in Idaho and have not been reported as deceased. Previous prevalence tables only included cases first reported in Idaho.

^{**}HIV (+) - Total number of reported HIV seropositive individuals EVER REPORETED in Idaho, excluding AIDS cases.

^{***}Reported HIV/AIDS cases presumed living - Total number of HIV and AIDS cases EVER REPORTED in Idaho that have not been reported as deceased.

| Cumulative reported HIV and AIDS diagnoses among Idaho residents | | | | | |
|------------------------------------------------------------------|-----------------------------------------|-----------------------|--------------|-----------------------|--------|
| Category | | Idaho HIV+ 6/30/07 | | Idaho AIDS 6/30/07 | |
| Sex | | | | | |
| Male | | 318 | (80%) | 512 | (86%) |
| Female | | <u>79</u> | (20%) | <u>83</u> | _(14%) |
| Total | | 397 | (100%) | 595 | (100%) |
| Pediatric/Adult | & Adolescent | | | | |
| Adults/adolesc | ents (13 years or above) | 393 | (99%) | 593 | (100%) |
| Children (less | than 13 years) | 4 | _(1%) | 2 | (0%) |
| Total | | 397 | (100%) | 595 | (100%) |
| Race/Ethnicity | | | | | |
| Hispanic | All Races | 52 | (13%) | 51 | (9%) |
| Non-Hispanic | American Indian/Alaska Native | 10 | (3%) | 9 | (2%) |
| | Asian | 2 | (1%) | 0 | (0%) |
| | Black | 20 | (5%) | 11 | (2%) |
| | Native Hawai'ian/Pacific Islander | 0 | (0%) | 0 | (0%) |
| | White | 312 | (79%) | 520 | (87%) |
| | Legacy Asian/Pacific Islander | 0 | (0%) | 3 | (1%) |
| | Multi Race | 1 | (0%) | 1 | (0%) |
| | Unknown | 0 | (0%) | 0 | (0%) |
| Total | | 397 | (100%) | 595 | (100%) |
| Exposure Cate | gories - | | | | |
| Adults/Adoles | cents | | | | |
| Men who have | sex with men (MSM) | 173 | (44%) | 314 | (53%) |
| Injecting drug ເ | ise | 58 | (15%) | 70 | (12%) |
| Men sex men & | inject drugs | 37 | (9%) | 48 | (8%) |
| Hemophilia/Coa | agulation disorder | 1 | (0%) | 18 | (3%) |
| Heterosexual c | ontact | 56 | (14%) | 77 | (13%) |
| Receipt of bloo | d, components, or tissue | 4 | (1%) | 13 | (2%) |
| Other/risk not r | eported or identified | <u>64</u> | <u>(16%)</u> | <u>53</u> | (9%) |
| Total | | 393 | (100%) | 593 | (100%) |
| Exposure Categories - Pediatric | | | | | |
| Hemophilia/coa | Hemophilia/coagulation disorder | | (0%) | 0 | (0%) |
| Mother with/at I | Mother with/at risk for HIV infection | | (75%) | 0 | (0%) |
| Receipt of bloo | Receipt of blood, components, or tissue | | (0%) | 2 | (100%) |
| Other/risk not reported or identified | | 1 | (25%) | _0 | (0%) |
| Total | | 4 | (100%) | 2 | (100%) |

| Idaho AIDS cases by age at diagnosis | | | | | | |
|--------------------------------------|-----|------|--|--|--|--|
| Age All Cases Percent | | | | | | |
| Under 5 | 11 | 0% | | | | |
| 5 | 1 | 0% | | | | |
| 13-19 | 3 | 1% | | | | |
| 20-29 | 91 | 15% | | | | |
| 30-39 | 255 | 43% | | | | |
| 40-49 | 170 | 29% | | | | |
| Over 49 | 74 | 12% | | | | |
| Unknown | 0 | 0% | | | | |
| TOTAL | 595 | 100% | | | | |

| Idaho HIV positive by age at diagnosis | | | | | |
|----------------------------------------|-----------|---------|--|--|--|
| Age | All Cases | Percent | | | |
| Under 5 | 4 | 1% | | | |
| 5-12 | 0 | 0% | | | |
| 13-19 | 9 | 2% | | | |
| 20-29 | 158 | 39% | | | |
| 30-39 | 138 | 34% | | | |
| 40-49 | 65 | 17% | | | |
| Over 49 | 23 | 6% | | | |
| Unknown | 0 | 0% | | | |
| TOTAL | 397 | 100% | | | |

Reports of HIV positive and AIDS cases should be made to the Office of Epidemiology and Food Protection as required by Idaho Code 39-602. Data collection and publication is made possible through a federal grant from the Centers for Disease Control and Prevention, United States -- Department of Health and Human Services. Idaho statistics are posted on the Internet four times per year. To be placed on an e-mail alert group to signal you when a new issue is posted, please e-mail Allen Haumann at haumanna@dhw.idaho.gov.